


- HOSEBED CAPACITIES**
- ① 500' OF 1.75" D.J. POLY HOSE
 - ② 400' OF 2.50" D.J. POLY HOSE
 - ③ 400' OF 2.50" D.J. POLY HOSE
 - ④ 850' OF 5.00" D.J. POLY HOSE



GALVANNEAL

MAXIMUM O.A.L. 363.50"

MAXIMUM O.A.H. 116.00"

SIDE ROLL PROTECTION

NOTE DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.	1. ALUMINUM TREADPLATE EXTERIOR REAR WALL OF CAB 2. AIR INLET/OUTLET WITH DISCONNECT FITTING LOCATED IN EACH SIDE BODY COMPARTMENT 3. S/S STL PROTECTIVE GUARD FOR ROLL-UP DOOR LOCATED IN EACH SIDE BODY COMPARTMENT 4. PAINTED SHELF TRACKS LOCATED IN EACH SIDE BODY COMPARTMENT 5. TEN FULL WIDTH/DEPTH ADJUSTABLE SHELVES - ONE IN COMPARTMENTS LS1, LS3, & RS2; TWO IN COMPARTMENTS LS2 & RS1; THREE IN COMPARTMENT RS3 6. ONE ADJUSTABLE SLIDE-OUT TRAY LOCATED IN COMPARTMENT LS3 7. ONE FLOOR MOUNTED SLIDE-OUT TRAY IN COMPARTMENT B1 8. ONE VERTICAL PARTITION IN COMPARTMENT RS1 9. LOUVERS IN COMPARTMENT RS3 SHALL HAVE A REMOVABLE DUST FILTER	10. 120V 1500W XANTREX 807-2055 INVERTER/CHARGER LOCATED IN COMPARTMENT LS3 11. CIRCUIT BREAKER PANEL LOCATED IN COMPARTMENT LS3 12. ONE HANWAY ELECTRIC REWIND CABLE REEL MODEL ECR1616-17-18 LOCATED IN COMPARTMENT RS1 WITH 200' OF 12/3 CABLE 13. FOAMPRO 2002 SINGLE AGENT FOAM SYSTEM 14. ALUMINUM PEGBOARD LOCATED IN COMPARTMENT LS3 15. ONE 15/20A 120V DUPLEX RECEPTACLE IN EACH REAR FACING EMS CABINET	CHASSIS DATA MAKE PIERCE MODEL ARROW-XT	TITLE 1500-D-500 WATER/30 FOAM, 152" PUMPER, SIDE CONTROL CROSSLAYS, DELUGE, BOOSTER REEL, LDERS BTWN BODY & TANK FOR VISALIA FIRE DEPARTMENT VISALIA, CALIFORNIA DWG NO. 33716AD	JOB NO. 33716
					SCALE 1:24
					DATE
					DRAWN BY JRO
					27MAR19
					CHECKED BY NPA
					27MAR19
					SHEET SIZE D
					SHEET NO. 1 OF 1